

Application No. 10/693,2003

November 16, 2005

Page 2 of 9

Docket No. CS23154RL

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application.

## Listing of Claims:

- 1 1. (currently amended) An emergency call placement method for user equipment  
2 in idle mode camped on a first cell of a wireless communication network having a  
3 first radio access technology comprising the steps of:  
4 requesting a radio resource control connection using "emergency call" as an  
5 establishment request;  
6 changing to a new cell in a different steering area than the first cell without  
7 performing a location area update and without performing a routing area update;  
8 and  
9 requesting again a radio resource control connection using "emergency call" as  
10 an establishment request.
- 1 2. (original) A method according to claim 1 further comprising the steps of:  
2 receiving a radio resource control connection setup message, after the step of  
3 requesting again;  
4 completing a radio resource control connection setup, after the step of  
5 receiving; and  
6 sending a connection management service request using "emergency call  
7 establishment" as a service type.
- 1 3. (original) A method according to claim 1 wherein the new cell is in a different  
2 location area than the first cell.
4. (canceled)

Application No. 10/693,2003  
November 16, 2005  
Page 3 of 9

Docket No. CS23154RL

1 5. (original) A method according to claim 3 wherein the new cell is in a different  
2 routing area than the first cell.

6. (canceled)

1 7. (original) A method according to claim 1 wherein the new cell is in a different  
2 routing area than the first cell.

8. (canceled)

1 9. (original) A method according to claim 1 wherein the step of changing  
2 comprises redirecting to a new cell.

1 10. (original) A method according to claim 1 wherein the step of changing  
2 comprises reselecting to a new cell.

1 11. (original) A method according to claim 1 wherein the new cell has a same  
2 carrier frequency as the first cell.

1 12. (original) A method according to claim 1 wherein the new cell has a different  
2 carrier frequency than the first cell.

1 13. (original) A method according to claim 1 wherein the new cell has a second  
2 radio access technology.

1 14. (original) A method according to claim 13 wherein the first radio access  
2 technology is wideband code division multiplex access (WCDMA).

Application No. 10/693,2003  
November 16, 2005  
Page 4 of 9

Docket No. CS23154RL

1 15. (original) A method according to claim 13 wherein the second radio access  
2 technology is Global System for Mobile Communication (GSM).

1 16. (original) A method for user equipment (UE) in idle mode camped on an old  
2 cell to place a call with a wireless communication network comprising the steps of:  
3 (a) requesting a radio resource control connection using "emergency call" as an  
4 establishment cause;  
5 (b) redirecting to a new cell in a different steering area than the old cell and  
6 returning to step (a), if a radio resource control connection reject message has  
7 been received from the wireless communication network with redirection to a  
8 new frequency;  
9 (c) redirecting to a new cell in a different steering area than the old cell and  
10 returning to step (a), if a radio resource control connection reject message has  
11 been received from the wireless communication network with redirection to a  
12 new radio access technology;  
13 (d) reselecting to a new cell in a different steering area than the old cell and  
14 returning to step (a), if a neighboring cell provides better service;  
15 (e) completing a radio resource control connection setup, if a radio resource  
16 control connection setup message has been received from the wireless  
17 communication network; and  
18 (f) sending a connection management service request using "emergency call  
19 establishment" as a service type.

1 17. (original) A method according to claim 16 wherein the step (b) returns to step  
2 (a) without performing a steering area update.

Application No. 10/693,2003  
November 16, 2005  
Page 5 of 9

Docket No. CS23154RL

1 18. (original) A method according to claim 16 wherein the step (c) returns to step  
2 (a) without performing a steering area update.

1 19. (original) A method according to claim 16 wherein the step (d) returns to step  
2 (a) without performing a steering area update.

1 20. (currently amended) A method for user equipment (UE) in idle mode camped  
2 on an old cell to place a call with a wireless communication network comprising the  
3 steps of:

4 (a) requesting a radio resource control connection using "emergency call" as an  
5 establishment cause; and

6 (b) changing to a new cell in a different steering area than the old cell and  
7 returning to step (a);

8 (c) completing a radio resource control connection setup, if a radio resource  
9 control connection setup message has been received from the wireless  
10 communication network; and

11 (d) sending a connection management service request using "emergency call  
12 establishment" as a service type.

13 wherein step (b) returns to step (a) without performing a steering area update.

21-22. (canceled)